

PRODUCT-DETAILS

E 92/125s

E 92/125s Fuse disconnecter



General Information

Extended Product Type	E 92/125s
Product ID	2CSM204932R1801
EAN	8012542563723
Catalog Description	E 92/125s Fuse disconnecter
Long Description	E 90 50/125 fuse holders are appropriate to protect against overloads and short circuits. They are designed for use with cylindrical fuses from 50 to 125 A.

Technical

Product Name	Fuse disconnecter
Suitable For	E 90
Suitable for Product Class	Fuse holders
Rated Voltage (U_r)	690 V
Rated Operational Voltage	690 V AC
Voltage Range	690 V AC
Rated Current (I_n)	100 A
Rated Primary Current (I_{pn})	125 A
Rated Frequency (f)	50...60 Hz
Power Loss	at Rated Operating Conditions per Pole 9.5 W
Number of Poles	2
Number of Protected Poles	2

Utilization Category	Connecting and disconnecting under no-load conditions - occasional actuation (AC-20B)
Mounting Type	DIN rail
Options Provided	With LED
Fuse Size	22x58 mm

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	See RoHS Information

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	0.070 m
Product Net Height	0.112 m
Product Net Depth / Length	0.07326 m
Product Net Weight	0.27 kg
Dimensions	4 module
Built-In Depth (t ₂)	73.26 mm

Container Information

Package Level 1 Units	box 2 piece
Package Level 1 Width	0.113 m
Package Level 1 Height	0.07 m
Package Level 1 Depth / Length	0.140 m
Package Level 1 Gross Weight	0.54 kg
Package Level 1 EAN	8012542049326

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030
Country of Origin	Hungary (HU)
Selling Unit of Measure	piece

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CSC444009D2701
Environmental Information	See RoHS Information
Instructions and Manuals	No document needed
RoHS Information	2CSC444011K2701

Popular Downloads

Data Sheet, Technical	2CSC444002B0204
-----------------------	-----------------

Information

Instructions and
Manuals

No document needed

Classifications

ETIM 6	EC002705 - Holder for cylindrical fuse
ETIM 7	EC002705 - Holder for cylindrical fuse
ETIM 8	EC002705 - Holder for cylindrical fuse
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85363030
Object Classification Code	F

Accessories

Identifier	Description	Type	Quantity	Unit Of Measure
2CSM257183R1801	E 9F22 GG4 Fuse link	E 9F22 GG4	1	piece
2CSM259283R1801	E 9F22 GG6 Fuse link	E 9F22 GG6	1	piece
2CSM258103R1801	E 9F22 GG8 Fuse link	E 9F22 GG8	1	piece
2CSM256923R1801	E 9F22 GG10 Fuse link	E 9F22 GG10	1	piece
2CSM259403R1801	E 9F22 GG12 Fuse link	E 9F22 GG12	1	piece
2CSM258223R1801	E 9F22 GG16 Fuse link	E 9F22 GG16	1	piece
2CSM257043R1801	E 9F22 GG20 Fuse link	E 9F22 GG20	1	piece
2CSM259533R1801	E 9F22 GG25 Fuse link	E 9F22 GG25	1	piece
2CSM258353R1801	E 9F22 GG32 Fuse link	E 9F22 GG32	1	piece
2CSM257173R1801	E 9F22 GG40 Fuse link	E 9F22 GG40	1	piece
2CSM259393R1801	E 9F22 GG50 Fuse link	E 9F22 GG50	1	piece
2CSM258213R1801	E 9F22 GG63 Fuse link	E 9F22 GG63	1	piece
2CSM257033R1801	E 9F22 GG80 Fuse link	E 9F22 GG80	1	piece
2CSM259523R1801	E 9F22 GG100 Fuse link	E 9F22 GG100	1	piece
2CSM258343R1801	E 9F22 GG125 Fuse link	E 9F22 GG125	1	piece

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical Fuse Holders and Fuse Switch Disconnectors

