

PRODUCT-DETAILS

PACH28/BL/50M

HVY WGT BLK NYL COND NC28 50M



General Information

Extended Product Type	PACH28/BL/50M
Product ID	7TCA296000R1886
EAN	5020963003752
Catalog Description	HVY WGT BLK NYL COND NC28 50M
Long Description	Heavyweight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 21.3mm, Static Bend Radius 70mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963003752
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	14.33 lb 6.499 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	Medium
Inside Diameter	21.3 mm
Material	Polyamide/Nylon 6
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	70 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210241050

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACH28/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACH28/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

