

PRODUCT-DETAILS

PACL28/BL/50M

LIGHT WGT BLK NYL COND NC28 50M



Product image
not available

General Information

Extended Product Type	PACL28/BL/50M
Product ID	7TCA296000R1926
EAN	5020963015052
Catalog Description	LIGHT WGT BLK NYL COND NC28 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 22.2mm, Static Bend Radius 50mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963015052
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	10.5 lb 4.762 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm
Package Level 3 Units	6 piece
Package Level 3 Width	37 in 940 mm
Package Level 3 Height	17 in 432 mm
Package Level 3 Depth / Length	17 in 432 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	22.2 mm
Material	Polyamide/Nylon 6
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Coarse Pitch
Radius	50 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210267333

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACL28/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACL28/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available