

PRODUCT-DETAILS

PACL34-S/BL/50M

LIGHT WGT SPLIT COND NC34 BLK 50M



Product image
not available

General Information

Extended Product Type	PACL34-S/BL/50M
Product ID	7TCA296000R1933
EAN	5020963019388
Catalog Description	LIGHT WGT SPLIT COND NC34 BLK 50M
Long Description	Lightweight Split Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.9mm, Static Bend Radius 60mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963019388
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.23 lb 6 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Retrofit Over Pre-Routed Cables
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.9 mm
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Lightweight Conduit with Coarse Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210241104

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACL34-S/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACL34-S/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available