

PRODUCT-DETAILS

PAFL13-S/BL/1000M

13MM LIGHTWEIGHT SLIT NYLON CONDUIT



General Information

Extended Product Type	PAFL13-S/BL/1000M
Product ID	7TCA296000R2087
EAN	5020963783937
Catalog Description	13MM LIGHTWEIGHT SLIT NYLON CONDUIT
Long Description	Lightweight Split Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 10.0mm, Static Bend Radius 25mm, Reel Length 1,000 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963783937
-----	---------------

Dimensions

Product Net Depth / Length	1,000 m
Product Net Weight	59.53 lb 26.998 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Retrofit Over Pre-Routed Cables
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	10.0 mm
Material	Polyamide/Nylon 6
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Fine Pitch
Radius	25 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268422

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL13-S/BL/1000M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL13-S/BL/1000M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

