

PRODUCT-DETAILS

# PAFL21-S/BL/50M

## LIGHT WGT SPLIT COND BLK 50M



### General Information

Extended Product Type	PAFL21-S/BL/50M
Product ID	7TCA296000R2120
EAN	5020963025068
Catalog Description	LIGHT WGT SPLIT COND BLK 50M
Long Description	Lightweight Split Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.8mm, Static Bend Radius 45mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963025068
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.91 lb 2.227 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	17 in 432 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm
Package Level 3 Units	10 piece
Package Level 3 Width	37 in 940 mm
Package Level 3 Height	17 in 432 mm
Package Level 3 Depth / Length	17 in 432 mm

### Additional Information

Application	Retrofit Over Pre-Routed Cables
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	16.8 mm
Material	Polyamide/Nylon 6
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	"flexible conduit, nylon"
Product Type	Lightweight Conduit with Fine Pitch
Radius	45 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210241951

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL21-S/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL21-S/BL/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

