

PRODUCT-DETAILS

PFCH28/BL/50M

HVYWGHT COND 25MM 60MMBEND BLK 50M



Product image
not available

General Information

Extended Product Type	PFCH28/BL/50M
Product ID	7TCA296000R2270
EAN	5020963779039
Catalog Description	HVYWGHT COND 25MM 60MMBEND BLK 50M
Long Description	Heavyweight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 21.5mm, Static Bend Radius 60mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963779039
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.78 lb 6.249 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	21.5 mm
Material	Polyamide 12
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	60 mm
Special Functions	High Impact Resistance
UPC	786210269719

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCH28/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCH28/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available