

PRODUCT-DETAILS

PRFS13/BL/50M

PA6 13MM BLACK 50M



Product image
not available

General Information

Extended Product Type	PRFS13/BL/50M
Product ID	7TCA296000R2498
EAN	5020963003233
Catalog Description	PA6 13MM BLACK 50M
Long Description	Standard Weight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 9.4mm, Static Bend Radius 35mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6, Black

Ordering

EAN	5020963003233
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	3.09 lb 1.401 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	374 in 9500 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm
Package Level 3 Units	33 piece

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	9.4 mm
Material	Modified Polyamide/Nylon 6
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	35 mm
Special Functions	Very High UV Protection
UPC	786210271989

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRFS13/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRFS13/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available