

PRODUCT-DETAILS

SPLHC20/50M

LTIGHT COND HIGHTEMP 20MM BLK 50M



General Information

| | |
|-----------------------|--|
| Extended Product Type | SPLHC20/50M |
| Product ID | 7TCA296030R0341 |
| EAN | 5020963007613 |
| Catalog Description | LTIGHT COND HIGHTEMP 20MM BLK 50M |
| Long Description | Liquid Tight, Extreme Temperature Covered Steel Flexible Conduit, Medium Flexibility, Nominal Conduit Size 20mm, Outside Diameter 21.1mm, Inside Diameter 15.9mm, Static Bend Radius 80mm, Reel Length 50 Meters, Thermoplastic Rubber Cover with Galvanised Steel Core, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963007613 |
|-----|---------------|

Dimensions

| | |
|----------------------------|-----------------------|
| Product Net Depth / Length | 50 m |
| Product Net Weight | 42.44 lb 19.247 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in |

| | |
|--------------------------------|-------|
| | 25 mm |
| Package Level 2 Height | 1 in |
| | 25 mm |
| Package Level 2 Depth / Length | 1 in |
| | 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Liquid Tight - Extreme Temperature Environments |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Inside Diameter | 15.9 mm |
| Material | Galvanized Steel Core with Thermoplastic Rubber Cover |
| Nominal Size | 1/2 in NC20 |
| Number of Batteries | 0 |
| Outside Diameter | 21.1 mm |
| Product Name | flexible metal conduit |
| Product Type | Extreme Temperature Flexible Conduit |
| Radius | 80 mm |
| UPC | 786210245652 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SPLHC20/50M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SPLHC20/50M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

