

PRODUCT-DETAILS

RF20/GR/10M

ELECTROFLEX 171 SERIES CONDUIT 20MM



Product image
not available

General Information

Extended Product Type	RF20/GR/10M
Product ID	7TCA296060R0062
EAN	5020963788857
Catalog Description	ELECTROFLEX 171 SERIES CONDUIT 20MM
Long Description	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 20mm, Outside Diameter 20.5mm, Inside Diameter 16.0mm, Static Bend Radius 35mm, Reel Length 10 Meters, PVCu Spiral with Plasticised PVC Covering, Grey

Ordering

EAN	5020963788857
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	.37 lb 167.8 g

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, Torsional Equipment, electrical insulator
Brand / Label	Adaptaflex
Color	Gray
Flexibility	Very High
Inside Diameter	16.0 mm
Material	PVCu Spiral with Plasticised Covering
Nominal Size	20 mm
Number of Batteries	0
Outside Diameter	20.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Heavyweight Conduit with Smooth Boore
Radius	35 mm
Special Functions	High UV Protection
UPC	786210243900

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RF20/GR/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	RF20/GR/10M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available