

PRODUCT-DETAILS

PKFS21/BL/50M

PEEK 21MM BLACK CONDUIT 50M



General Information

Extended Product Type	PKFS21/BL/50M
Product ID	7TCA296100R0101
EAN	5020963014895
Catalog Description	PEEK 21MM BLACK CONDUIT 50M
Long Description	Standard Weight, High Flexibility Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.6mm, Static Bend Radius 60mm, Reel Length 50 Meters, Polyketone, Black

Ordering

EAN	5020963014895
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.85 lb 2.2 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Extreme Temperature and Underground Applications
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	16.6 mm
Material	Polyketone
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210270555

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKFS21/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PKFS21/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

