

PRODUCT-DETAILS

CI08-90-AM4

4WAY AMP CONN 90D INTERFACE NC08



General Information

Extended Product Type	CI08-90-AM4
Product ID	7TCA298010R0150
EAN	5020963023194
Catalog Description	4WAY AMP CONN 90D INTERFACE NC08
Long Description	Hinged Connector Interface Fitting, 90 Degree Elbow with 360 Degree Swivel, 4-Way AMP Junior or Mini Timer Connector to Conduit, Conduit Size NC08/NW7.5, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black

Ordering

EAN	5020963023194
-----	---------------

Dimensions

Product Net Weight	.014 lb 6.349 g
--------------------	--------------------

Container Information

Package Level 2 Units	500 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Provide Connection Between Connector Interface and Conduit
Brand / Label	Harnessflex
Color	Black
Insulation Material	IP40
Material	Polyamide/Nylon
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Hinged AMP Junior or Mini Timer Connector to Conduit
Size	Conduit Size NC08/NW7.5
Special Functions	High Pull-Off Strength
Standards	RoHS Compliant
Temperature Range	-40 to 120 °C
UPC	786210284934

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CI08-90-AM4
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	CI08-90-AM4

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

