

PRODUCT-DETAILS

CI08-AS4

HX 4 WAY SUPERSEAL ADAPTOR



General Information

Extended Product Type	CI08-AS4
Product ID	7TCA298010R0197
EAN	5020963022036
Catalog Description	HX 4 WAY SUPERSEAL ADAPTOR
Long Description	Hinged Connector Interface Fitting, Straight, 4-Way AS-AMP Superseal Connector to Conduit, Conduit Size NC08/NW7.5, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black

Ordering

EAN	5020963022036
-----	---------------

Dimensions

Product Net Weight	.01 lb 4.535 g
--------------------	-------------------

Container Information

Package Level 2 Units	500 piece
Package Level 2 Width	7 in 178 mm

Package Level 2 Height	14 in 356 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Application	Provide Connection Between Connector Interface and Conduit
Brand / Label	Harnessflex
Color	Black
Insulation Material	IP40
Material	Polyamide/Nylon
Number of Batteries	0
Product Name	HARNESSFLEX
Product Type	Hinged AS-AMP Superseal Connector to Conduit
Size	Conduit Size NC08/NW7.5
Special Functions	High Pull-Off Strength
Standards	RoHS Compliant
Temperature Range	-40 to 120 °C
UPC	786210271910

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CI08-AS4
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	CI08-AS4

Classifications

UNSPSC	39121421
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4586 >> Electrical connector assembly

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

