

PRODUCT-DETAILS

# CPS421212

## CONNECTOR SHROUD(421212)



### General Information

Extended Product Type	CPS421212
Product ID	7TCA298010R0383
EAN	5020963036446
Catalog Description	CONNECTOR SHROUD(421212)
Long Description	Hinged Protective Shroud, Straight, Conduit Size A: NC12/NW10, Side B: NC12/NW10, Internal Diameter 43mm, Operating Temperature -40 to 120 Degrees Celsius, RoHS Compliant, IP40 Rating, Very High UV Protection, Polyamide (Nylon), Black

### Ordering

EAN	5020963036446
-----	---------------

### Dimensions

Product Net Weight	.062 lb 28.118 g
--------------------	---------------------

### Container Information

Package Level 2 Units	100 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in

	25 mm
Package Level 2 Depth / Length	1 in 25 mm

## Additional Information

Application	Protection for In-Line Connectors, Fuse Links, Circuit Breakers and Splicing Areas
Brand / Label	Harnessflex
Color	Black
Coupling Style	Externally Hinged
Inside Diameter	43 mm
Material	Polyamide/Nylon
Nominal Size	NC12/NW10
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Protective Shroud for Conduit
Standards	RoHS Compliant, Complies with End of Life Vehicle (ELV) Directive EU 2000/53/EC
UPC	786210286228

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS421212
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	CPS421212

## Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

