

PRODUCT-DETAILS

# SCG-M325

## SST CG M32X1.5 18-25MM



### General Information

|                       |                                                                                                       |
|-----------------------|-------------------------------------------------------------------------------------------------------|
| Extended Product Type | SCG-M325                                                                                              |
| Product ID            | 7TCA303040R0029                                                                                       |
| EAN                   | 5415022429640                                                                                         |
| Catalog Description   | SST CG M32X1.5 18-25MM                                                                                |
| Long Description      | Non Armoured Cable Gland, Thread Size M32, Cable Range 18 to 25mm, Thread Length 9mm, Stainless Steel |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5415022429640 |
|-----|---------------|

### Dimensions

|                    |        |
|--------------------|--------|
| Product Net Weight | .02 lb |
|                    | 9.07 g |

### Container Information

|                        |          |
|------------------------|----------|
| Package Level 1 Units  | 10 piece |
| Package Level 1 Width  | 3.54 in  |
|                        | 90 mm    |
| Package Level 1 Height | 3.54 in  |
|                        | 90 mm    |

|                                |                    |
|--------------------------------|--------------------|
| Package Level 1 Depth / Length | 7.09 in<br>180 mm  |
| Package Level 2 Units          | 10 piece           |
| Package Level 2 Width          | 15.75 in<br>400 mm |
| Package Level 2 Height         | 11.02 in<br>280 mm |
| Package Level 2 Depth / Length | 3.94 in<br>100 mm  |

## Additional Information

|                     |                                                             |
|---------------------|-------------------------------------------------------------|
| Application         | General purpose, Panel building, Light fixture and housings |
| Brand / Label       | ABB                                                         |
| Color               | Metallic                                                    |
| Material            | 316 Stainless Steel                                         |
| Number of Batteries | 0                                                           |
| Product Name        | Stainless Steel CABLE GLAND                                 |
| Product Type        | Non Armoured Cable Gland                                    |
| Size                | M32                                                         |
| Standards           | cULus, RoHS, WEEE, LVD                                      |
| Temperature Range   | -20 to +100 °C                                              |
| UPC                 | 786210158587                                                |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | TDS000032       |
| Declaration of Conformity - CE    | 9AKK107492A9845 |
| Instructions and Manuals          | SCG-M325        |

## Classifications

|                                    |                               |
|------------------------------------|-------------------------------|
| ETIM 6                             | EC000441 - Cable screw gland  |
| ETIM 7                             | EC000441 - Cable gland        |
| UNSPSC                             | 39121431                      |
| WEEE Category                      | Product Not in WEEE Scope     |
| IDEA Granular Category Code (IGCC) | 4601 >> Cable gland connector |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

