

## Optimo Large - CMI

Optimo Large CMI-T 930 35W LS1 SI

**3089933**



### Range Features

- 



## PRODUCT OVERVIEW

Beam angle(°)	36
Colour temperature (K)	3000K
Colour	Black/Silver
CRI (Ra)	90+
EAN code	8711971899334
Equivalent watt (W)	41
Luminous flux (lm)	2676
Housing	Die cast aluminium
IK rating	IK07
IP rating	IP20
Lamps	SA CMI-T 35W WDL/USV G12 SLV
Light colour	Warm white
LOR (%)	66.9
Mount	LS1
Ordering number	3089933
Efficacy (Rated) (lm/w)	65
Technology	HID
Included lamp	0020300

## DATA TABLE

### General data

Average life (h) at Ta 25° C	9000
Control gear availability	Integral
Control gear type	Electronic
EAN code	8711971899334
Environment	Interior
General application	Retail
Housing	Die cast aluminium
Mount	LS1
Ordering number	3089933

## Optimo Large - CMI

*Optimo Large CMI-T 930 35W LS1 SI*

**3089933**

<b>Product name</b>	Optimo Large CMI-T 930 35W LS1 SI
<b>Technology</b>	HID
<b>Sales pack quantity</b>	1
<b>E-number FI</b>	4170055
<b>What temperature Life is measured at (°C):</b>	25

### Optical data

<b>Beam angle(°)</b>	36
<b>Colour temperature (K)</b>	3000K
<b>CRI (Ra)</b>	90+
<b>Distribution type</b>	Direct
<b>Luminous flux (lm)</b>	2676
<b>Light colour</b>	Warm white
<b>LOR (%)</b>	66.9
<b>Luminous flux (Nominal) (lm)</b>	2676

### Physical data

<b>Colour</b>	Black/Silver
<b>Horizontal rotation (°)</b>	355°
<b>IK rating</b>	IK07
<b>IP rating</b>	IP20
<b>Lamp included</b>	Yes
<b>Vertical tilt (°)</b>	90°
<b>Included lamp</b>	0020300

### Electrical data



<b>Equivalent watt (W)</b>	41
<b>Glow wire test</b>	850°C
<b>Lamps</b>	SA CMI-T 35W WDL/USV G12 SLV
<b>Efficacy (Rated) (lm/w)</b>	65
<b>Ta rating (°C)</b>	25
<b>Total number of lamps</b>	1
<b>Total power consumption (W)</b>	41

## PHOTOMETRY


## Optimo Large - CMI

Optimo Large CMI-T 930 35W LS1 SI

**3089933**



## TECHNICAL DRAWINGS





## Optimo Large - CMI

Optimo Large CMI-T 930 35W LS1 SI


**3089933**


**Lumiance** 3089933

 This luminaire is compatible with bulbs of the energy classes:





This luminaire is sold with a bulb of the energy class:

874/2012 

 This luminaire is compatible with bulbs of the energy classes:

This luminaire is sold with a bulb of the energy class:



**Lumiance** 3089933  874/2012