
























DOWNLIGHT SLIM



| | EAN | W | lm | K | IP | °(°C) | V~ | mA | Hz | DF | 👤 |
|---------------------------------------|---------------|-------|-------|------|----|-----------|---------|------|-------|------|------|
| DL SLIM 85MM 4.5W 3000K 230V WT | 4058075573055 | 4.5 | 240 | 3000 | 20 | -20...+40 | 220-240 | 60 | 50/60 | ≥0.5 | 60g |
| DL SLIM 120MM 8W 3000K 230V WT | 4058075573079 | 8 | 550 | 3000 | 20 | -20...+40 | 220-240 | 80 | 50/60 | ≥0.5 | 99g |
| DL SLIM 225MM 22W 3000K 230V WT | 4058075573093 | 22 | 2000 | 3000 | 20 | -20...+40 | 220-240 | 150 | 50/60 | ≥0.7 | 254g |
| DL SLIM 85MM 4.5W 4000K 230V WT | 4058075573116 | 4.5 | 240 | 4000 | 20 | -20...+40 | 220-240 | 60 | 50/60 | ≥0.5 | 60g |
| DL SLIM 120MM 8W 4000K 230V WT | 4058075573130 | 8 | 550 | 4000 | 20 | -20...+40 | 220-240 | 80 | 50/60 | ≥0.5 | 99g |
| DL SLIM 225MM 22W 4000K 230V WT | 4058075573154 | 22 | 2000 | 4000 | 20 | -20...+40 | 220-240 | 150 | 50/60 | ≥0.7 | 254g |
| DL SLIM 85MM 4.5W 6500K 230V WT | 4058075573178 | 4.5 | 240 | 6500 | 20 | -20...+40 | 220-240 | 60 | 50/60 | ≥0.5 | 60g |
| DL SLIM 120MM 8W 6500K 230V WT | 4058075573192 | 8 | 550 | 6500 | 20 | -20...+40 | 220-240 | 80 | 50/60 | ≥0.5 | 99g |
| DL SLIM 225MM 22W 6500K 230V WT | 4058075573215 | 22 | 2000 | 6500 | 20 | -20...+40 | 220-240 | 150 | 50/60 | ≥0.7 | 254g |
| DL SET 3X4.5W SLIM 85MM 3000K 230V WT | 4058075629387 | 3x4.5 | 3x240 | 3000 | 20 | -20...+40 | 220-240 | 3x60 | 50/60 | ≥0.5 | 180g |
| DL SET 3X8W SLIM 120MM 3000K 230VWT | 4058075629400 | 3x8 | 3x550 | 3000 | 20 | -20...+40 | 220-240 | 3x80 | 50/60 | ≥0.5 | 297g |





| | EAN | This product contains a light source of energy efficiency class | Contained Light Source |
|---------------------------------------|---------------|---|---|
| DL SLIM 85MM 4.5W 3000K 230V WT | 4058075573055 | F |  |
| DL SLIM 120MM 8W 3000K 230V WT | 4058075573079 | F |  |
| DL SLIM 225MM 22W 3000K 230V WT | 4058075573093 | F |  |
| DL SLIM 85MM 4.5W 4000K 230V WT | 4058075573116 | F |  |
| DL SLIM 120MM 8W 4000K 230V WT | 4058075573130 | F |  |
| DL SLIM 225MM 22W 4000K 230V WT | 4058075573154 | F |  |
| DL SLIM 85MM 4.5W 6500K 230V WT | 4058075573178 | F |  |
| DL SLIM 120MM 8W 6500K 230V WT | 4058075573192 | F |  |
| DL SLIM 225MM 22W 6500K 230V WT | 4058075573215 | F |  |
| DL SET 3X4.5W SLIM 85MM 3000K 230V WT | 4058075629387 | F |  |
| DL SET 3X8W SLIM 120MM 3000K 230VWT | 4058075629400 | F |  |



C10449057
G11117430
15.12.2021



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com