














PANEL DIRECT/INDIRECT DALI 1200 UGR < 19









	EAN	l x w x h [mm]	W	W (230V DC)	lm	lm (230V DC)	lm/W	K
PANEL D/I DALI 1200 36W/3000K UGR19	4058075144644	1200x300x16	36	7.2	3800	720	105	3000
PANEL D/I DALI 1200 36W/4000K UGR19	4058075144668	1200x300x16	36	7.2	4000	720	110	4000

	EAN	IP	IK	Temp (°C)	V _{AC}	Hz	∇	PF	R _a	👤
PANEL D/I DALI 1200 36W/3000K UGR19	4058075144644	20	03	-20...+45	220-240V	0/50/60 Hz	90°/110°	> 0.9	≥ 80	3.5 kg
PANEL D/I DALI 1200 36W/4000K UGR19	4058075144668	20	03	-20...+45	220-240V	0/50/60 Hz	90°/110°	> 0.9	≥ 80	3.5 kg







C10A	B16A	C16A	DALI	I _{OUT} [mA]	RLEDset [Ω]
23	23	38	LCA 45W 500-1400mA one4all SC PRE	1200 @ 5V	4.3 k (Tridonic I-Select 2 PLUG 1200MA BL 28001128)



C10449057
G11063227
22.02.19



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com