


## ECROU METAL

<b>MATIERE :</b>	Laiton Nickelé ou Inox
<b>TENUE EN TEMPERATURE :</b>	Laiton Nickelé : +800°C Inox : +1200°C
<b>NORMALISATION :</b>	Filetage PG conforme DIN 40430 Filetage ISO conforme EN 60 423
<b>AGREMENTS :</b>	CE, ROHS



Filetage
PG 7
PG 9
PG 11
PG 13,5
PG 16
PG 21
PG 29
PG 36
PG 42
PG 48
ISO 12 x 1,5
ISO 16 x 1,5
ISO 20 x 1,5
ISO 25 x 1,5
ISO 32 x 1,5
ISO 40 x 1,5
ISO 50 x 1,5
ISO 63 x 1,5
ISO 75 x 1,5
ISO 90 x 1,5
ISO 110 x 1,5
NPT 3/8"
NPT 1/2"
NPT 3/4"
NPT 1"
NPT 1"1/4
NPT 1"1/2
NPT 2"
NPT 2"1/2
NPT 3"
NPT 4"

LAITON NICKELE				
Réf BLM	Dimensions			
	SW	D	H	
102 07 4	15	16,6	2,8	
102 09 4	18	20,0	2,8	
102 11 4	21	23,5	3,0	
102 13 4	23	25,5	3,0	
102 17 4	26	29,0	3,0	
102 21 4	32	35,5	3,5	
102 29 4	41	45,0	4,0	
102 36 4	51	56,0	5,0	
102 42 4	60	66,0	5,0	
102 48 4	64	70,5	5,5	
102 12 4	15	16,6	2,8	
102 16 4	19	21,0	3,0	
102 20 4	24	26,5	3,5	
102 25 4	30	33,0	4,0	
102 32 4	36	39,5	5,0	
102 40 4	46	51,0	5,0	
102 50 4	60	66,0	5,0	
102 63 4	70	77,0	6,0	
102 75 4	80	89,0	7,0	
102 90 4	100	112,0	8,0	
102 01 4	130	145,0	10,0	
102 38 4	24	26,5	5,0	
102 14 4	24	26,5	5,0	
102 34 4	34	37,5	6,0	
102 10 4	42	46,4	6,0	
102 15 4	52	57,4	7,0	
102 18 4	60	65,1	7,0	
102 22 4	74	81,8	8,0	
102 28 4	80	89,0	10,0	
102 30 4	95	105,0	10,0	
102 41 4	130	145,0	10,0	

INOX				
Réf BLM	Dimensions			
	SW	D	H	
102 07 9	17	18,6	2,8	
102 09 9	19	21,0	2,8	
102 11 9	22	24,5	3,0	
102 13 9	24	26,5	3,0	
102 17 9	27	30,0	3,0	
102 21 9	32	35,5	3,5	
102 29 9	41	45,0	4,0	
102 36 9	60	66,0	5,0	
102 42 9	60	66,0	5,0	
102 48 9	65	71,5	5,5	
102 12 9	15	16,6	2,8	
102 16 9	19	21,0	3,0	
102 20 9	24	26,5	3,5	
102 25 9	30	33,0	4,0	
102 32 9	36	39,5	5,0	
102 40 9	46	51,0	5,0	
102 50 9	60	66,0	5,0	
102 63 9	70	77,0	6,0	
102 75 9	80	89,0	7,0	
102 90 9	100	112,0	8,0	
102 01 9	130	145,0	10,0	
102 38 9	24	26,5	5,0	
102 14 9	24	26,5	5,0	
102 34 9	35	39,0	6,0	
102 10 9	46	51,0	6,0	
102 15 9	55	61,0	7,0	
102 18 9	60	65,1	7,0	
102 22 9	74	81,8	8,0	
102 28 9	80	89,0	10,0	
102 30 9	95	105,0	10,0	
102 41 9	130	145,0	10,0	

Cotes en mm